



Dr. Nimalie Stone, MD, MS


Team Lead, Long-term Care Response
Centers for Disease Control (CDC)
Division of Health Care Quality Promotion

COVID-19 Vaccine Information for Long- term Care

Nimalie D. Stone, MD, MS

Long-term Care Team Lead

Prevention and Response Branch



Dec. 2020



cdc.gov/coronavirus

Speaker Disclosures

- No disclosures to report
- The content of this presentation reflects my opinion and does not necessarily reflect the official position of the CDC





Thanks to the essential caregiving teams supporting residents and families!

What we know about COVID-19


- Infection with SARS-CoV-2, the virus that causes COVID-19, can result in a range of illnesses, from mild symptoms to severe illness and death.
- We don't know how SARS-CoV-2 will affect each person.
- Some people are more likely than others to become severely ill, such as older adults (65+ years) or people with certain medical conditions.



COVID-19 and Older Adults

NATIONAL CENTER FOR HEALTH STATISTICS (NCHS) MORTALITY REPORTING SYSTEM
Coronavirus Disease 2019 (COVID-19)-Associated Hospitalization
Surveillance Network (COVID-NET)
DATA THROUGH WEEK ENDING JUNE 6, 2020

**LATEST
DATA**
JUNE 6, 2020




[cdc.gov/coronavirus](https://www.cdc.gov/coronavirus)

<https://www.cdc.gov/coronavirus/2019-ncov/cases-updates/index.html>

CDC Has Information For Older Adults at Higher Risk

8 out of **10** COVID-19 deaths reported in the U.S. have been in adults 65 years old and older. Visit [CDC.gov/coronavirus](https://www.cdc.gov/coronavirus) for steps to reduce your risk of getting sick.



[cdc.gov/coronavirus](https://www.cdc.gov/coronavirus)

<https://www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/older-adults.html>

COVID-19 Impact in U.S. Nursing Homes: May-Dec 2020

Resident and Staff Cases and Deaths

TOTAL RESIDENT COVID-19 CONFIRMED CASES

441,473

TOTAL RESIDENT COVID-19 DEATHS


86,775

TOTAL STAFF COVID-19 CONFIRMED CASES

377,228

TOTAL STAFF COVID-19 DEATHS

1,258




Healthcare personnel: A priority for COVID-19 vaccination

- On the front lines and at risk of exposure
- Can potentially transmit the virus that causes COVID-19 to residents, their families, and their communities
- Can positively influence vaccination decisions of peers, residents, friends, and family
- ***Healthcare personnel*** = paid and unpaid persons serving in healthcare settings who have the potential for direct or indirect exposure to patients or infectious materials – not exclusive to medical personnel, includes administration, support staff, etc.



Four phases of clinical trials to evaluate vaccine safety and efficacy



- FDA's Emergency Use Authorization is a process that helps facilitate the availability and use of medicines and vaccines
- ***COVID-19 vaccines are being held to the same safety standards as all vaccines.***



Source: <https://covid19community.nih.gov/resources/understanding-clinical-trials>

COVID-19 vaccines and FDA Emergency Use Authorizations (EUAs)

- Current vaccines with Emergency Use Authorizations (EUAs) from the FDA:
 - **Pfizer/BioNTech (BNT162b2)**: 2 doses given at least 21 days apart
 - 95% effective (manufacturer data)
 - **Moderna (mRNA-1273)**: 2 doses given at least 28 days apart
 - 94.5% effective (manufacturer data)
- Both vaccines were tested in tens of thousands of adults from diverse backgrounds, including older adults and communities of color.
- Clinical trial data show that both vaccines are safe and effective at preventing COVID-19.

Sources: <https://www.pfizer.com/news/press-release/press-release-detail/pfizer-and-biontech-conclude-phase-3-study-covid-19-vaccine>
<https://investors.modernatx.com/news-releases/news-release-details/modernas-covid-19-vaccine-candidate-meets-its-primary-efficacy>

What are messenger RNA (mRNA) vaccines?

- Carry genetic material that teaches our cells how to make a harmless piece of “spike protein,” which is found on the surface of the SARS-CoV-2 virus.
 - Genetic material from the vaccine is destroyed by our cells once copies of the spike protein are made and it is no longer needed.
- Cells display this piece of spike protein on their surface, and an immune response is triggered inside our bodies. This produces antibodies to protect us from getting infected if the SARS-CoV-2 virus enters our bodies.
- Do not affect our DNA; mRNA does not enter the cell nucleus.
- Cannot give someone COVID-19.
- Use technology that is new but not unknown. mRNA vaccines have been studied for influenza, Zika, rabies, and cytomegalovirus (CMV).



Sources: College of Physicians of Philadelphia. What is an mRNA vaccine? <https://historyofvaccines.blog/2020/07/29/what-is-an-mrna-vaccine/>
JAMA. COVID-19 and mRNA Vaccines—First Large Test for a New Approach. <https://jamanetwork.com/journals/jama/fullarticle/2770485>

About these COVID-19 mRNA vaccines

- These mRNA vaccines are expected to produce side effects after vaccination, especially after the 2nd dose.
- Side effects may include:
 - fever
 - headache
 - muscle aches
- No significant safety concerns were identified in the clinical trials.
- At least 8 weeks of safety data were gathered in the trials. It is unusual for side effects to appear more than 8 weeks after vaccination.



The COVID-19 mRNA vaccines will not give you COVID-19

- **None** of the COVID-19 vaccines in use or under development use the live virus that causes COVID-19.
- People can experience normal side effects, such as fever, after vaccination. These side effects are signs that the body is building immunity.
- It takes a few weeks for the body to build immunity after vaccination.
 - A person could be infected with the virus that causes COVID-19 just before or just after vaccination and get sick. This is because the vaccine has not had enough time to provide protection.
- We don't know yet how long protection from vaccines might last

How was the vaccine development timeline accelerated while ensuring safety?

- Researchers used existing networks to conduct COVID-19 vaccine trials.
- Manufacturing began while clinical trials are still underway. Normally, manufacturing doesn't begin until after completion of the trials.
- mRNA vaccines are faster to produce than traditional vaccines.
- FDA and CDC are prioritizing review and authorization of COVID-19 vaccines.

*For more information, visit the COVID-19 Prevention Network:

www.coronaviruspreventionnetwork.org/about-covpn

Safety of COVID-19 vaccines is a top priority.

- COVID-19 vaccines are being held to the **same safety standards** as all vaccines.



Before authorization

- **FDA** carefully reviews all safety data from clinical trials.
- **ACIP** reviews all safety data before recommending use.



After vaccine authorization

- **FDA** and **CDC** closely monitor vaccine safety and side effects.

Monitoring vaccine safety is a regular, ongoing part of vaccine development.

- **Existing** systems and data sources are used to monitor safety of vaccines after they are authorized or licensed, such as:
 - [Vaccine Adverse Event Reporting System \(VAERS\)](#)
 - [Vaccine Safety Datalink \(VSD\)](#)
 - [Clinical Immunization Safety Assessment \(CISA\)](#)
 - [Biologics Effectiveness and Safety System \(BEST\)](#)
- **New** systems are being developed to monitor vaccine safety, such as **v-safe**:
 - Active surveillance that uses text messaging to initiate web-based survey monitoring
 - Any clinically important events reported by a participant would be sent to VAERS for follow-up



Vaccine Safety Monitoring Resources



VAERS

Vaccine Adverse Event Reporting System

co-managed by
CDC and FDA

vaers.hhs.gov

The screenshot shows the VAERS website interface. At the top, it says "VAERS Vaccine Adverse Event Reporting System" with the URL "www.vaers.hhs.gov". Below this is a navigation bar with links for "About VAERS", "Report an Adverse Event", "VAERS Data", "Resources", and "Submit Follow-Up Information". The main content area features a question in English: "Have you had a reaction following a vaccination?" followed by two numbered steps: "1. Contact your healthcare provider." and "2. Report an Adverse Event using the VAERS online form or the new downloadable PDF. *New!*". Below this is an "Important" note: "If you are experiencing a medical emergency, seek immediate assistance from a healthcare provider or call 9-1-1. CDC and FDA do not provide individual medical treatment, advice, or diagnosis. If you need individual medical or health care advice, consult a qualified healthcare provider." A Spanish version of the question and steps follows. To the right of the text is a photo of a family looking at a laptop. Below the photo is a "What is VAERS?" section. At the bottom, there are four tiles: "REPORT AN ADVERSE EVENT" (with a photo of a doctor and patient), "SEARCH VAERS DATA" (with a photo of hands on a tablet), "REVIEW RESOURCES" (with a photo of a woman reading), and "SUBMIT FOLLOW-UP INFORMATION" (with a photo of a woman at a computer).

The advertisement features three icons at the top: a bandage, a smartphone, and a thumbs up. The headline reads: "Get vaccinated. Get your smartphone. Get started with v-safe." Below this is the "What is v-safe?" section, which explains that v-safe is a smartphone-based tool using text messaging and web surveys for health check-ins after COVID-19 vaccination. It notes that CDC may call to check on users and that v-safe will remind them to get a second dose if needed. The "How can I participate?" section states that participation is voluntary and can be opted out of at any time by texting "STOP" to v-safe's number, and can be restarted by texting "START". The "How long do v-safe check-ins last?" section says that during the first week after vaccination, v-safe will send a text message each day to check in. On the right side, there is a logo for "v-safe after vaccination health checker" and a purple box with the text: "Use your smartphone to tell CDC about any side effects after getting the COVID-19 vaccine. You'll also get reminders if you need a second vaccine dose." At the bottom right of this box is an icon of a smartphone with the v-safe logo on the screen.

[Vaers.hhs.gov](http://vaers.hhs.gov)

V-safe After Vaccination Health Checker | CDC

Key facts about COVID-19 vaccination



COVID-19 vaccines can not give you COVID-19

People who have already gotten sick with COVID-19 may still benefit from getting vaccinated

Getting vaccinated can help prevent getting sick with COVID-19

COVID-19 vaccines will not cause you to test positive on COVID-19 **viral** tests*

<https://www.cdc.gov/coronavirus/2019-ncov/vaccines/about-vaccines/vaccine-myths.html>



*<https://www.cdc.gov/coronavirus/2019-ncov/hcp/testing-overview.html>

Vaccination is one measure to help stop the pandemic.

- While COVID-19 mRNA vaccines appear to be highly effective, additional preventive tools remain important to limit the spread of COVID-19.
- The combination of getting vaccinated and continuing to follow CDC infection prevention and control recommendations offers the best protection from COVID-19.
 - Cover your nose and mouth with a mask.
 - Maintain social distancing.
 - Performing hand hygiene
 - Use of personal protective equipment
 - Clean and disinfect shared surfaces.



Vaccination protects yourself, your family, friends, co-workers, residents, and community

- You are all role models in your community
 - Choose to get vaccinated yourself when it is available to you.
- Participate in **v-safe** and help CDC monitor for any health effects after vaccination.
- Share your experience with coworkers, friends, and family.
- Know the basics about the COVID-19 vaccine. Help answer questions from your family and friends.
- Visibly show you received a vaccine, such as by wearing a sticker or button.




COVID-19 Vaccine information

The screenshot shows the CDC website's COVID-19 vaccine information page. At the top left is the CDC logo with the tagline "Centers for Disease Control and Prevention" and "CDC 24/7: Saving Lives. Protecting People™". To the right is a search bar with "COVID-19" entered and a search icon. Below the search bar is a banner for "Coronavirus Disease 2019 (COVID-19)" featuring a collage of people wearing masks and the text "WEAR A MASK.". A navigation menu includes "Your Health", "Community, Work & School", "Healthcare Workers & Labs", "Health Depts", "Cases & Data", and "More". The main content area is titled "YOUR HEALTH Vaccines" and is updated as of Nov. 20, 2020. It includes social media sharing icons for Facebook, Twitter, LinkedIn, and YouTube. A large image shows a healthcare worker in a white coat and mask administering a vaccine to a woman in a pink shirt who is also wearing a black face mask. A text overlay on the image reads "Safety Is a Top Priority" and "The U.S. vaccine safety system ensures that all vaccines are as safe as possible. [Learn more.](#)". On the left side, there is a sidebar menu with expandable sections: "Your Health", "Things You Need to Know", "Symptoms", "Testing", and "Vaccines". The "Vaccines" section is expanded, showing a list of links: "8 Things to Know", "About COVID-19 Vaccines", "Facts about COVID-19 Vaccines", "How CDC is Making Vaccine Recommendations", "Ensuring the Safety of Vaccines", and "Ensuring COVID-19 Vaccines Work".

<https://www.cdc.gov/coronavirus/2019-ncov/vaccines/index.html>

COVID-19 Vaccine Communication Resources

- HCP: Preparing to Provide COVID-19 Vaccines
 - <https://www.cdc.gov/vaccines/covid-19/hcp/index.html>
- What to Expect at Your Appointment to Get Vaccinated
 - <https://www.cdc.gov/coronavirus/2019-ncov/vaccines/expect.html>
- Toolkit For Medical Centers, Clinics and Clinicians
 - <https://www.cdc.gov/vaccines/covid-19/health-systems-communication-toolkit.html>
- *Long-term care Facility Toolkit*
 - <https://www.cdc.gov/vaccines/covid-19/toolkits/long-term-care/index.html>



Why Get Vaccinated?

To Protect Yourself, Your Coworkers, Your Patients, Your Family, and Your Community

- Building defenses against COVID-19 in this facility and in your community is a team effort. And **you** are a key part of that defense.
- Getting the COVID-19 vaccine adds **one more layer of protection** for you, your coworkers, patients, and family.



Here are ways you can **build people's confidence** in the new COVID-19 vaccines in your facility, your community, and at home:

- ✓ **Get vaccinated** and enroll in the **v-safe** text messaging program to help CDC monitor vaccine safety.
- ✓ **Tell others why** you are getting vaccinated and encourage them to get vaccinated.
- ✓ **Learn how to have conversations** about COVID-19 vaccine with coworkers, family, and friends.



Building Vaccine Confidence in Health Systems and Clinics

Tips for Immunization Coordinators

Developed by:
CDC COVID-19 Response
Vaccine Task Force
December 2020



www.cdc.gov/coronavirus/vaccines



<https://www.cdc.gov/vaccines/covid-19/index.html>

Thank you!

For more information, contact CDC
1-800-CDC-INFO (232-4636)
TTY: 1-888-232-6348 www.cdc.gov

The findings and conclusions in this report are those of the authors and do not necessarily represent the official position of the Centers for Disease Control and Prevention.

